

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 9	0	learn\$4 near10 (client\$1 ce device\$1) near10 "which" near10 vlan and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:17
S12 0	12	learn\$4 near10 (client\$1 ce device\$1) near10 vlan and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 19:33
S12 1	6	learn\$4 near10 (client\$1 ce device\$1) near10 vlan and flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:28
S12 2	30	learn\$4 near10 (client\$1 ce device\$1) same vlan and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 19:49
S12 3	6	learn\$4 near10 (client\$1 ce device\$1 node\$1) near10 vlan and flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 19:50
S12 4	14	learn\$4 near10 (client\$1 ce device\$1 node\$1) near10 vlan and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 19:51
S12 5	5	learn\$4 near10 (client\$1 ce device\$1 node\$1) same (vlan virtual adj lan) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 19:51
S12 6	6	vc with vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 12:36
S12 7	41	VLAN near10 (id\$1 identifier\$1) same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 12:36

## EAST Search History

S12 8	6	vc with vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 12:36
S12 9	11	370/392.ccls. and flood\$4 near10 determin\$4 and @ad<"20020626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 12:36